



16645 Heimbach Road
 Three Rivers, MI 49093
 Phone 269-279-5123
 Fax 269-279-6337
www.wfwells.com

2013

W.F. WELLS MODEL F-1630-1

Specifications

Capacity..... Rectangular at 90° 16" High x 30" Wide, Round at 90° 16" Diameter
 Rectangular at 45° 16" High X 13" Wide, Round at 45° 13" Diameter
 Weight Capacity.....5,000 lbs
 Blade Speed.....60-500 SFPM
 Blade Size.....1¼" X .042" X 16'8"
 Sawing Feed..... Variable, Hydraulic
 Blade Guide..... Rollers and Carbide Side Blocks
 Blade Tension..... Manual with Indicator
 Bandwheel Size..... 20"
 Vise..... Manual, 8-1/2"
 Blade Drive..... 7½ HP, 3ph, AC Vector Drive
 Sawing Force..... 30-120 lbs
 Coolant Capacity..... 15 Gallons
 Hydraulic Capacity..... ¾ Gallon
 Hydraulic Drive..... 1/3 HP Motor
 Work Height..... 26"
 Shipping Weight..... 2,500 lbs
 Electrics..... Wired to NFPA 79 Machine Tool Standards
 Machine Dimensions..... 118" Length x 52" Width x 88" Height

Voltage

208-60-3
 230-60-3
 460-60-3
 575-60-3 (5 HP)

OPTIONAL FACTORY INSTALLED ACCESSORIES

Description

Automatic Length Stop Assembly
 Discharge Worktable, 20" W x 48" L with Stock Stop
 Discharge Worktable, 30" W x 48" L with Stock Stop
 Work Light, Wired In
 Air Vise Manual
 Air Holddown
 Blade Break/Stall Switch
 Chip Conveyor, Electric, Auger Style
 High Speed AC Drive (1" Blade) 400-3000 SFPM
 Free Standing Roller Stock Conveyors, 6" Centers:
 21" X 5' X 5,000 lbs Cap. Distributed Weight
 21" X 10' X 10,000 lbs Cap. Distributed Weight
 31" x 5' x 5,000 lbs Cap Distributed Weight
 31" x 10' x 10,000 lbs Cap Distributed Weight
 21" x 10' Powered Conveyor, Electric
 31" Powered Conveyor

Consult Factory for Pricing

Consult Factory For Additional Accessories

*Prices and specifications subject to change without notice



Distributed By:



Tool Technology
 Distributors, Inc.

P: 510-656-8220
 P: 800-335-8437
 F: 510-656-2458
 E: info@tooltechnology.com
 W: www.tooltechnology.com